

Application Serial No. 10/767,961

RECEIVED
CENTRAL EXAM CENTER
MAR 12 2008**AMENDMENTS****In the Claims**

Please enter the following amendments to the claims:

1. (Original) A method for inhibiting reading of an optical disc, comprising the following steps:

(a) providing an optical disc comprising machine-readable, information-encoding features, and a reading-inhibit agent, said inhibit agent activated by optical radiation and operative, once activated, to alter the disc to inhibit reading and to provide a short effective life for the disc;

(b) providing a reading device operative to read the disc, said reading device comprising a source of optical radiation; and

(c) reading the disc with the source while concurrently activating the inhibit agent with optical radiation from the source.

2. (Original) A method for inhibiting reading of an optical disc, said method comprising the following steps:

(a) providing an optical disc comprising:

machine-readable, information-encoding features;

a barrier layer releasably coupled to the disc, said barrier layer

configured to prevent machine reading of the features; and,

a reading-inhibit agent, included in the disc and activated by removal of the barrier layer, said reading-inhibit agent operative, once activated, to initially allow reading of the disc, and then to alter the disc to inhibit reading of the disc; then

(b) removing the barrier layer to allow machine reading of the features and to activate the reading inhibit agent; then,

Application Serial No. 10/767,961

(c) reading the disc after removal of the barrier layer but before the disc is altered by the reading inhibit agent to inhibit reading of the disc; and then,

(d) said reading-inhibit agent then altering the disc to provide a short effective life for the disc.

3. (Original) The invention of claim 2 wherein the disc comprises a first surface, wherein the features are adjacent the first surface, wherein the inhibit agent is adjacent the features; and wherein the barrier layer is adjacent the inhibit agent.

4. (Original) The invention of claim 2 wherein the disc comprises a translucent layer operative to transmit a beam of light toward the features, wherein the inhibit agent is incorporated in or adjacent to the translucent layer, and wherein the barrier layer comprises a sheet adjacent the translucent layer.

5. (Original) The invention of claim 2 wherein the disc comprises a reflective film, and wherein the inhibit agent comprises a corrosion-enhancing agent disposed in or adjacent to the reflective film.

6. (Original) The invention of claim 2 wherein the inhibit agent is operative, once activated, to alter a physical dimension of the disc.

7. Canceled

8. Canceled

9. Canceled

10. Canceled

11. Canceled

12. Canceled

13. Canceled

14. Canceled

Application Serial No. 10/767,961

15. Canceled

16. Canceled

17. Canceled

18. Canceled

19. Canceled

20. (Currently Amended) The optically readable medium according to claim ~~[[18]]~~ 60, wherein said ~~at least one access-limiting reading-inhibit~~ agent is located in the path of the incident optical read beam from the reading device.

21. (Currently Amended) The optically-readable medium according to claim ~~[[18]]~~ 60, wherein said ~~at least one access-limiting reading-inhibit~~ agent is selected from one of an oxidizable material, a dye, a hygroscopic material, a photoreactive material, or a combination thereof.

22. Canceled

23. Canceled

24. Canceled

25. (Currently Amended) The optically-readable medium according to claim ~~[[18]]~~ 60, wherein said ~~at least one access-limiting reading-inhibit~~ agent inhibits reading of the at least a portion of said information encoded ~~region features~~ by one of absorbing light from the optical beam, altering the reflectivity of the reflective layer, physically distorting or altering a portion of the optically-readable medium.

26. Canceled

27. Canceled

28. Canceled

29. Canceled

30. Canceled

Application Serial No. 10/767,961

31. Canceled

32. Canceled

33. (Currently Amended) The optically-readable medium according to claim ~~[[18]] 60~~, wherein said ~~at least one access-limiting~~ reading-inhibit agent is activated by optical radiation.

34. Canceled

35. Canceled

36. Canceled

37. Canceled

38. (Currently Amended) The optically-readable medium according to claim ~~[[18]] 60~~, wherein said short effective life for said optically-readable medium ~~predetermined period of time~~ is determined by the number of times the at least a portion of the information encoded ~~region~~ features is read by the optical beam.

39. (Currently Amended) The optically-readable medium according to claim ~~[[18]] 60~~, wherein said ~~at least one access-limiting~~ reading-inhibit agent corrodes the at least a portion of the information encoded ~~region~~ features.

40. (Currently Amended) The optically-readable medium according to claim ~~[[18]] 60~~, wherein said ~~at least one access-limiting~~ reading-inhibit agent, once activated, increases optical scattering of the at least a portion of the information encoded ~~region~~ features.

41. (Currently Amended) The optically-readable medium according to claim ~~[[18]] 60~~, wherein said ~~at least one access-limiting~~ reading-inhibit agent, once activated, inhibits reading by the optical beam by promoting deterioration of the at least a portion of the information encoded ~~region~~ features.

42. (Currently Amended) The optically-readable medium according to claim ~~[[18]] 60~~, wherein said ~~access-limiting~~ reading-inhibit agent, once activated, interferes with the optical beam.

Application Serial No. 10/767,961

43. Canceled

44. Canceled

45. Canceled

46. Canceled

47. Canceled

48. Canceled

49. Canceled

50. Canceled

51. Canceled

52. Canceled

53. Canceled

54. Canceled

55. Canceled

56. Canceled

57. Canceled

58. Canceled

59. (Currently Amended) An optically-readable medium comprising:

an information encoded region, said information encoded region readable by an optical beam from a reading device;

at least one ~~access-limiting~~ reading-inhibit agent in communication with at least one of a portion of said information encoded region and the optical beam, said at least one ~~access-limiting~~ reading-inhibit agent inhibits reading of at least a portion of said information encoded region by the optical beam after a predetermined period of time after removal of an enclosure; and

[[an]] the enclosure enclosing said optically-readable medium wherein said at least one

Application Serial No. 10/767,961

~~limited-play~~ reading-inhibit agent provides a short effective life for said optically-readable medium.

60. (Currently Amended) A ~~limited-play~~ An optically-readable medium, comprising:
at least one substrate having information ~~encoding~~ encoded features with a
reflective ~~surface~~ layer to reflect an incident optical read beam so that the
optical read beam may read the information ~~encoding~~ encoded features; and
a ~~limited-play~~ reading-inhibit agent included in the optically-readable medium that, once
operative, prevents at least a portion of the information ~~encoding~~ encoded features
from being read by the incident optical read beam wherein said ~~limited-play~~
reading-inhibit agent provides a short effective life for said optically-readable
medium.

61. Canceled